





Attorney's Docket: 2003CH009
 Serial No.: 10/575,154
 Page 2

Amendments to the Claims

1. (previously presented) An amino-functional silicone wax of the formulae (I) to (IV)



Attorney's Docket: 2003CH009
 Serial No.: 10/575,154
 Page 3



(IV)

where

R is C₁₁-C₂₂-alkyl, linear or branched,

R₁ is C₁-C₇-alkyl or benzyl,

R₂ is -OH, -CH₃, -OCH₃, -OC₂H₅,

A⁻ is CH₃OSO₃⁻, chloride, bromide, iodide or tosylsulfate,

n is 2 or 3,

p is 10-200,

q+z is 10-400, and

q/z is 5-50.

2. (previously presented) An amino-functional silicone wax according to Claim 1 wherein

R, R₂ and n are each as defined above,

R₁ is methyl or benzyl,

A⁻ is CH₃OSO₃⁻ or chloride,


p is 20-50,

q+z is 15-200, and

q/z is 10-30.

Attorney's Docket: 2003CH009
 Serial No.: 10/575,154
 Page 4

3. (previously presented) A process for preparing an amino-functional silicone wax of formula (I) according to Claim 1, comprising the steps of:
- condensing at least one fatty acid with diethylenetriamine or dipropylenediamine to form a reaction product,
 - and reacting the reaction product with at least one silicone oil of the general formula (V)




to prepare the wax of formula (I).

4. (previously presented) A process according to Claim 3, wherein the silicone wax of formula (I) is quaternized to form the compound of formula (II).
5. (previously presented) A process according to Claim 3, wherein the fatty acid is selected from the group consisting of: stearic acid, behenic acid and lauric acid.
6. (previously presented) A process for softening a textile substrate comprising the step of applying at least one of the silicone waxes according to Claim 1 to a textile substrate.
7. (previously presented) An aqueous dispersion comprising at least one of the silicone waxes according to Claim 1.

Attorney's Docket: 2003CH009
Serial No.: 10/575,154
Page 5

8. (previously presented) A process for preparing an amino-functional silicone wax of formula (III) according to Claim 1, comprising the steps of:
condensing at least one fatty acid with diethylenetriamine or dipropylenediamine to form a reaction product,
and reacting the reaction product with at least one silicone oil of the general formula (VI)



VI

to prepare the wax of formula (III).

9. (previously presented) A process according to Claim 8, wherein the silicone wax of formula (III) is quaternized to form the compound of formula (IV).
10. (previously presented) A process according to Claim 8, wherein the fatty acid is selected from the group consisting of: stearic acid, behenic acid and lauric acid.
11. (cancelled)